

Eemax Electric Tankless Water Heater - Customer Sign-off

To confirm configuration for SpecAdvantage and SafeAdvantage PhD products for commercial and industrial applications.

If you need assistance please contact Eemax Inc @ 1-800-543-6163 *Rev. August 2018*

ALL HIGHLIGHTED AREAS MUST BE FILLED OUT FOR ORDER TO BE COMPLETE

Purchase Order Date: _____ Customer P. O. Number: _____

Project Name and Location: _____

Contractor Name and phone #: _____

Model requested _____ Total # of heaters ordered _____

Available Voltage

208V Three Phase Delta	480V Three Phase Delta	600V Three Phase Delta

Kilowatt (kW) Output

32	36	39	41	48	54	61	63	64
71	72	96	102	108	126	130	144	150

Output Temperature: *Do not select output temp higher than needed. Specific settings may be available.*

90°F (EE/EFD) Safety (tepid water)	120°F (max allowable for 1.0 GPM turn-on)	140°F (standard)	180°F S (sanitation)	Other (specific temp and turn-on)


NEMA CABINETS ARE AVAILABLE AT ADDITIONAL COST

STANDARD-NON- WATERPROOF SHEET METAL COVER	OR NEMA Cabinet Selection	N4 NEMA 4 (powder coat gray)	N4X NEMA 4 (304 SS)	N4X6 NEMA 4 (316 SS)

(water heater must be installed in a NEMA cabinet (above) to support options below)


FP -FREEZE PROTECTION	EDS - NON – FUSED ELECTRICAL DISCONNECT	FDS - FUSED ELECTRICAL DISCONNECT	EP - EXPLOSION PROOF C1D2- PURGE/ PRESSURIZE CONTROL	GFCI -GROUND FAULT CIRCUIT INTERRUPTER
SK - STAND KIT / FREE STANDING	RD - REMOTE DISPLAY EXTERNAL MOUNT	SB - SIREN / BEACON	ES - EMERGENCY STOP SWITCH	

Is heater part of a recirculation loop? Yes No
 Please indicate how heater is to be used in the recirculation loop



HEATER MUST NOT BE PIPED IN THIS CONFIGURATION

Heater in direct line With recirculation loop



Signature: _____

PROVIDE BRIEF DESCRIPTION OF HEATER APPLICATION:

These units are custom made. Upon return of this form, order is NON-CANCELABLE and the items are NON-RETURNABLE. Orders will be released to production when sign off is returned.

Please sign below as acceptance of these terms, conditions and installation requirements.

Return via fax to (203)267-7975 or email to info@eemaxinc.com to authorize production.

Print Name: _____

Signature: _____

Title & Company: _____ Date: _____